

# Chapter 16

---

## **Control Design Based on Optimization**



---

Thus far, we have seen that design constraints arise from a number of different sources:

- ❖ structural plant properties, such as NMP zeros or unstable poles;
- ❖ disturbances - their frequency content, point of injection, and measurability;
- ❖ architectural properties and the resulting algebraic laws of trade-off; and
- ❖ integral constraints and the resulting integral laws of trade-off.



---

The subtlety as well as complexity of the emergent trade-off web, into which the designer needs to ease a solution, motivates interest in what is known as *criterion-based* control design or *optimal* control theory: the aim here is to capture the control objective in a mathematical criterion and solve it for the controller that (*depending on the formulation*) maximizes or minimizes it.



---

Three questions arise:

1. Is optimization of the criterion mathematically feasible?
2. How good is the resulting controller?
3. Can the constraint of the trade-off web be circumvented by optimization?



# Optimal Q Synthesis

---

In this chapter, we will combine the idea of Q synthesis with a quadratic optimization strategy to formulate the design problem.

This approach is facilitated by the fact, already observed, that the nominal sensitivity functions are affine functions of  $Q(s)$ .



---

Assume that a target function  $H_0(s)$  is chosen for the complementary sensitivity  $T_0(s)$ . We have seen in Chapter 15 that, if we are given some stabilizing controller  $C(s) = P(s)/L(s)$ , then all stabilizing controllers can be expressed as

$$C(s) = \frac{\frac{P(s)}{E(s)} + Q_u(s) \frac{A_o(s)}{E(s)}}{\frac{L(s)}{E(s)} - Q_u(s) \frac{B_o(s)}{E(s)}}$$

the nominal complementary sensitivity function is then given by

$$T_o(s) = H_1(s) + Q_u(s)V(s)$$



---

where  $H_1(s)$  and  $V(s)$  are stable transfer functions of the form

$$H_1(s) = \frac{B_o(s)P(s)}{E(s)F(s)}; \quad V(s) = \frac{B_o(s)A_o(s)}{E(s)F(s)}$$

We see that  $T_0$  is linear in the design variable  $Q_u$ . We will use a quadratic optimization criterion to design  $Q_u$ . The design problem is formally stated on the next slide.



# Quadratic Optimal Synthesis

---

Let  $\mathcal{S}$  denote the set of all real rational stable transfer functions; then the quadratic optimal synthesis problem can be stated as follows:

**Problem** (*Quadratic optimal synthesis problem*).

Find  $Q_u^0(s) \in \mathcal{S}$  such that

$$Q_u^o(s) = \arg \min_{Q_u(s) \in \mathcal{S}} \|H_o - T_o\|_2^2 = \arg \min_{Q_u(s) \in \mathcal{S}} \|H_o - H_1 - Q_u V\|_2^2$$



---

The criterion on the previous slide uses the quadratic norm, also called the  $H_2$ -norm, of a function  $X(s)$  defined as

$$\|X\|_2 = \left[ \frac{1}{2\pi} \int_{-\infty}^{\infty} X(j\omega)X(-j\omega)d\omega \right]^{\frac{1}{2}}$$



---

To solve this problem, we first need a preliminary result that is an extension of Pythagoras' theorem.

**Lemma 16.1:** Let  $S_0 \subset S$  be the set of all real strictly proper stable rational functions, and let  $S_0^\perp$  be the set of all real strictly proper rational functions that are analytical for  $\Re\{s\} \leq 0$ . Furthermore assume that  $X_s(s) \in S_0$  and  $X_u(s) \in S_0^\perp$ . Then

$$\|X_s + X_u\|_2^2 = \|X_s\|_2^2 + \|X_u\|_2^2$$

*Proof:* See the book.



---

To use the above result, we will need to split a general function  $X(s)$  into a stable part  $X_s(s)$  and an unstable part  $X_u(s)$ . We can do this via a partial-fraction expansion. The stable poles and their residues constitute the stable part.



---

We note that the cost function of interest here has the general form

$$Q_u^o(s) = \arg \min_{Q_u(s) \in \mathcal{S}} \|W(s) - Q_u(s)V(s)\|_2^2$$

where  $W(s) = H_0(s) - H_1(s)$ ,  $H_0(s)$  is the target complementary sensitivity, and  $H_1(s)$  and  $V(s)$  are as below:

$$H_1(s) = \frac{B_o(s)P(s)}{E(s)F(s)}; \quad V(s) = \frac{B_o(s)A_o(s)}{E(s)F(s)}$$



# Solution to the Quadratic Synthesis Problem

---

**Lemma 16.2:** Provided that  $V(s)$  has no zeros on the imaginary axis, then

$$\arg \min_{Q_u(s) \in \mathcal{S}} \|W(s) - Q_u(s)V(s)\|_2^2 = (V_m(s))^{-1}[V_a(s)^{-1}W(s)]_s$$

where

$$V(s) = V_m(s)V_a(s)$$

such that  $V_m(s)$  is a factor with poles and zeros in the open LHP and  $V_a(s)$  is an all-pass factor with unity gain, and where  $[X]_s$  denotes the stable part of  $X$ .

*Proof:* Essentially uses Lemma 16.1 - see the book.



---

The solution will be proper only either if  $V$  has relative degree zero or if both  $V$  has relative degree one and  $W$  has relative degree of at least one. However, improper solutions can readily be turned into approximate proper solutions by adding an appropriate number of fast poles to  $Q_u^0(s)$ .



---

Returning to the problem posed earlier, we see that Lemma 16.2 provided an immediate solution, by setting

$$W(s) = H_o(s) - H_1(s)$$

$$V(s) = V_m(s)V_a(s)$$



---

The above procedure can be modified to include a weighting function  $\Omega(j\omega)$ . In this framework, the cost function is now given by

$$\|(H_o - T_o)\Omega\|_2^2$$

No additional difficulty arises, because it is enough to simply redefine  $V(s)$  and  $W(s)$  to convert the problem into the form

$$Q_u^o(s) = \arg \min_{Q_u(s) \in \mathcal{S}} \|W(s) - Q_u(s)V(s)\|_2^2$$



---

It is also possible to restrict the solution space to satisfy additional design specifications. For example, forcing an integration is achieved by parameterizing  $Q(s)$  as  $Q(s) = s\bar{Q}(s) + [G_o(0)]^{-1}Q_a(s)$  and introducing a weighting function  $\Omega(s) = 1/s$ . ( $H_0(0) = 1$  is also required). This does not alter the affine nature of  $T_0(s)$  on the unknown function. Hence, the synthesis procedure developed above can be applied, provided that we first redefine the function,  $V(s)$  and  $W(s)$ .



# Example 16.1: Unstable Plant

---

Consider a plant with nominal model

$$G_o(s) = \frac{2}{(s-1)(s+2)}$$

Assume that the target function for  $T_0(s)$  is given by

$$H_o(s) = \frac{9}{s^2 + 4s + 9}$$



---

We first choose the observer polynomial  $E(s) = (s+4)(s+10)$  and the controller polynomial  $F(s) = s^2 + 4s + 9$ .

We then solve the pole-assignment equation  $A_0(s)L(s) + B_0(s)P(s) = E(s)F(s)$  to obtain the prestabilizing control law expressed in terms of  $P(s)$  and  $L(s)$ . The resultant polynomials are

$$P(s) = 115s + 270; \quad L(s) = s^2 + 17s + 90$$



---

Now consider any controller from the class of stabilizing control laws as parameterized in

$$C(s) = \frac{\frac{P(s)}{E(s)} + Q_u(s) \frac{A_o(s)}{E(s)}}{\frac{L(s)}{E(s)} - Q_u(s) \frac{B_o(s)}{E(s)}}$$

The quadratic cost function is then as in

$$Q_u^o(s) = \arg \min_{Q_u(s) \in \mathcal{S}} \|W(s) - Q_u(s)V(s)\|_2^2$$



---


$$W(s) = H_o(s) - \frac{B_o(s)P(s)}{E(s)F(s)} = \frac{9s^2 - 104s - 180}{E(s)F(s)}$$

$$V(s) = \frac{B_o(s)A_o(s)}{E(s)F(s)} = V_a(s)V_m(s) = \left[ \frac{s-1}{s+1} \right] \left[ \frac{2(s+2)(s+1)}{E(s)F(s)} \right]$$

Consequently

$$[V_a^{-1}(s)W(s)]_s = \left( \frac{1}{7} \right) \frac{5s^3 + 158s^2 + 18s - 540}{E(s)F(s)}$$

The optimal  $Q_u(s)$  is then obtained

$$Q_u^o(s) = (V_m(s))^{-1} [(V_a(s))^{-1}W(s)]_s = \left( \frac{1}{14} \right) \frac{5s^3 + 158s^2 + 18s - 540}{(s+1)(s+2)}$$



---

We observe that  $Q_u^0(s)$  is improper. However, we can approximate it by a suboptimal (*but proper*) transfer function,  $\tilde{Q}(s)$ , by adding one fast pole to  $Q_u^0(s)$ :

$$\tilde{Q}(s) = Q_u^0(s) \frac{1}{\tau s + 1} \quad \text{where} \quad \tau \ll 1$$



## Example 16.2: Nonminimum-phase Plant

---

Consider a plant with nominal model

$$G_o(s) = \frac{-3s + 18}{(s + 6)(s + 3)}$$

It is required to synthesize, by using  $H_2$  optimization, a one-d.o.f. control loop having the target function

$$H_o(s) = \frac{16}{s^2 + 5s + 16}$$

and to provide exact model inversion at  $\omega = 0$ .



---

The appropriate cost function is defined as

$$J(Q) = \|(H_o(s) - (s\bar{Q}(s) + [G_o(0)]^{-1})G_o(s))\Omega(s)\|_2^2 \quad \text{where} \quad \Omega(s) = \frac{1}{s}$$

Then the cost function takes the form

$$J(Q) = \|W - \bar{Q}V\|_2^2$$

where

$$V(s) = G_o(s) = \frac{-s+6}{s+6} \frac{3}{s+3}; \quad W(s) = \frac{3s^2 + 13s + 102}{(s^2 + 5s + 16)(s^2 + 9s + 16)}$$



---

We first note that

$$V_a(s) = \frac{-s + 6}{s + 6}; \quad V_m(s) = \frac{3}{s + 3}$$

The optimal  $\bar{Q}(s)$  can then be obtained by using

$$Q_u^o(s) = (V_m(s))^{-1}[(V_a(s))^{-1}W(s)]_s$$

$$\bar{Q}^o(s) = \frac{0.1301s^2 + 0.8211s + 4.6260}{s^2 + 5s + 16}$$

from this  $Q^o(s)$  can be obtained as  $Q^o(s) = s\bar{Q}^o(s) + 1$ .  
One fast pole has to be added to make this function proper.



# Robust Control Design with Confidence Bounds

---

We next show briefly how optimization methods can be used to change a nominal controller so that the resultant performance is robust against model errors.

For the sake of argument we will use statistical confidence bounds - although other types of modelling error can also be used.



# Statistical Confidence Bounds

---

We have argued in Chapter 3 that no model can give an exact description of a real process.

Our starting point will be to assume the existence of statistical confidence bounds on the modeling error.

In particular, we assume that we are given a nominal frequency response,  $G_0(j\omega)$ , together with a statistical description of the associated errors of the form

$$G(j\omega) = G_o(j\omega) + G_\epsilon(j\omega)$$

where  $G(j\omega)$  is the true (*but unknown*) frequency response and  $G_\epsilon(j\omega)$ , as usual, represents the additive modeling error.



---

We assume that  $G_\epsilon$  possesses the following probabilistic properties:

$$\mathcal{E}\{G_\epsilon(j\omega)\} = 0$$

$$\mathcal{E}\{G_\epsilon(j\omega)G_\epsilon(-j\omega)\} = \alpha(j\omega)\alpha(-j\omega) = \tilde{\alpha}^2(\omega)$$

$\alpha(s)$  is the stable, minimum-phase spectral factor.

Also,  $\tilde{\alpha}$  is the given measure of the modeling error.

The function  $\alpha$  would normally be obtained from some kind of identification procedure.



# Robust Control Design

---

Based on the nominal model  $G_0(j\omega)$ , we assume that a design is carried out that leads to acceptable nominal performance. This design will typically account for the usual control-design issues such as nonminimum-phase behavior, the available input range, and unstable poles. Let us say that this has been achieved with a nominal controller  $C_0$  and that the corresponding nominal sensitivity function is  $S_0$ . Of course, the value  $S_0$  will not be achieved in practice, because of the variability of the achieved sensitivity,  $S$ , from  $S_0$ .



---

Let us assume, to begin, that the open-loop system is stable. We can thus use the simple form of the parameterization of all stabilizing controllers to express  $C_0$  and  $S_0$  in terms of a stable parameter  $Q_0$ .

$$C_o(s) = \frac{Q_o(s)}{1 - G_o(s)Q_o(s)}$$

$$S_o(s) = 1 - G_o(s)Q_o(s)$$



---

The achieved sensitivity,  $S_1$ , when the nominal controller  $C_0$  is applied to the true plant is given by

$$S_1(s) = \frac{S_o(s)}{1 + Q_o(s)G_\epsilon(s)}$$

where  $G_\epsilon$  is the additive model error.



---

Our proposal for robust design now is to adjust the controller so that the *distance* between the resulting achieved sensitivity,  $S_1$ , and  $S_0$  is minimized. If we change  $Q_0$  to  $Q$  and hence  $C_0$  to  $C$ , then the achieved sensitivity changes to

$$S_2(s) = \frac{1 - G_o(s)Q(s)}{1 + G_\epsilon(s)Q(s)}$$



---

Where

$$C(s) = \frac{Q(s)}{1 - G_o(s)Q(s)}$$


and

$$S_2(s) - S_o(s) = \frac{1 - G_o(s)Q(s)}{1 + G_\epsilon(s)Q(s)} - (1 - G_o(s)Q_o(s))$$


Observe that  $S_1$  denotes, the sensitivity achieved when the plant is  $G_0$  and the controller is parameterized by  $Q$ , and  $S_0$  denotes the sensitivity achieved when the plant is  $G_0$  and the controller is parameterized by  $Q_0$ .



# Pictorially




$G_e$  - Random Variable  
describing uncertainty



**Design Criterion**

$$J = E \int |S_2 - S_0|^2 d\omega$$





# Frequency Weighted Errors

---

Unfortunately,  $(S_2 - S_0)$  is a nonlinear function of  $Q$  and  $G_\epsilon$ .

In place of minimizing some measure of the sensitivity error, we instead consider a weighted version with  $W_2 = 1 + G_\epsilon Q$ . Thus, consider

$$\begin{aligned} W_2(s)(S_2(s) - S_0(s)) &= (1 - G_o(s)Q(s)) - (1 - G_o(s)Q_o(s))(1 + G_\epsilon(s)Q(s)) \\ &= -G_o(s)\tilde{Q}(s) - S_o(s)Q_o(s)G_\epsilon(s) - S_o(s)\tilde{Q}(s)G_\epsilon(s). \end{aligned}$$

where  $\tilde{Q}(s) = Q(s) - Q_o(s)$  is the desired adjustment in  $Q_o(s)$  to account for  $G_\epsilon(s)$ .



---

The procedure that we now propose for choosing  $\tilde{Q}$  is to find the value that minimizes

$$\begin{aligned} J &= \|W_2(S - S_o)\|_2^2 = \int_{-\infty}^{\infty} \mathcal{E} \{ |W_2(j\omega) (S_2(j\omega) - S_o(j\omega))|^2 \} d\omega \\ &= \int_{-\infty}^{\infty} |G_o(j\omega)|^2 |\tilde{Q}(j\omega)|^2 + |S_o(j\omega)Q_o(j\omega) + S_o(j\omega)\tilde{Q}(j\omega)|^2 \tilde{\alpha}^2(\omega) d\omega \end{aligned}$$



---

This loss function has intuitive appeal. The first term on the right-hand side represents the *bias* error. It can be seen that this term is zero if  $\tilde{Q} = 0$  (i.e., *we leave the controller unaltered*). The second term represents the *variance* error. This term is zero if  $\tilde{Q} = -Q_0$  - i.e. if we choose open-loop control. These observations suggest that there are two extreme cases. For  $\tilde{\alpha} = 0$  (*no model uncertainty*), we leave the controller unaltered; as  $\tilde{\alpha} \rightarrow \infty$  (*large model uncertainty*), we choose open-loop control, which clearly is robust for the case of an open-loop stable plant.



# Intuitive Interpretation (Stable Case)

---

$$J = \underbrace{\int_{-\infty}^{\infty} |G_0|^2 |\tilde{Q}|^2}_{\text{Bias Term}} + \underbrace{|S_0|^2 |Q_0 + \tilde{Q}|^2 E\left\{|\bar{G}_e|^2\right\}}_{\text{Variance Term}} d\omega$$

↑ *Uncertainty*

*Bias Term*

*Variance Term*

Due to using  $Q \neq Q_0$   
in nominal case

$\Rightarrow 0$  as  $\bar{G}_e \Rightarrow 0$

Hence: Bias/Variance Trade-Off



---

The robust design is described in:

**Lemma 16.4:** Suppose that

- (i)  $G_0$  is strictly proper with no zeros on the imaginary axis and
- (ii)  $E\{G_\epsilon(j\omega)G_\epsilon(-j\omega)\}$  has a spectral factorization.

Then  $\alpha(s)\alpha(-s)S_0(s)S_0(-s) + G_0(s)G_0(-s)$  has a spectral factor, which we label  $H$ , and the optimal  $\tilde{Q}$  is given by

$$\begin{aligned}\tilde{Q}^{opt}(s) &= \arg \min_{\tilde{Q}(s) \in \mathcal{S}} \|W_2(S_2 - S_o)\|_2 \\ &= -\frac{1}{H(s)} \times \text{stable part of } \frac{\alpha(s)\alpha(-s)S_o(s)S_o(-s)Q_o(s)}{H(-s)}\end{aligned}$$



---

*Proof:* Uses Lemma 16.2 - see the book.



---

The value of  $\tilde{Q}$  found in Lemma 16.4 gives an optimal trade-off between the bias error and the variance term.



---

A final check on robust stability (*which is not automatically guaranteed by the algorithm*) requires us to check that  $\|G_{\epsilon}(j\omega)\|Q(j\omega) < 1$  for all  $\omega$  and all likely values of  $G(j\omega)$ . A procedure for doing this is described in the book.



# Incorporating Integral Action

---

The methodology given above can be extended to include integral action. Assuming that  $Q_0$  provides this property, the final controller will do so as well, if  $\tilde{Q}$  has the form

$$\tilde{Q}(s) = s\tilde{Q}'(s)$$

with  $\tilde{Q}'$  strictly proper.

There are a number of ways to enforce this constraint. A particularly simple way is to change the cost function to

$$J' = \int_{-\infty}^{\infty} \frac{\mathcal{E} \{ |W_2(j\omega)|^2 |S_2(j\omega) - S_o(j\omega)|^2 \}}{|j\omega|^2} d\omega$$



---

**Lemma 16.5:** Suppose that

- (I)  $G_0$  is strictly proper with no zeros on the imaginary axis and
- (ii)  $\mathcal{E}\{G_\epsilon(j\omega)G_\epsilon(-j\omega)\}$  has a spectral factorization as in

$$\mathcal{E}\{G_\epsilon(j\omega)G_\epsilon(-j\omega)\} = \alpha(j\omega)\alpha(-j\omega) = \tilde{\alpha}^2(\omega)$$

Then  $\alpha(s)\alpha(-s)S_0(s)S_0(-s) + G_0(s)G_0(-s)$  has a spectral factor, which we label  $H$ , and

$$\arg \min_{\tilde{Q}(s) \in \mathcal{S}} J' = -\frac{s}{H(s)} \times \text{stable part of } \frac{\alpha(s)\alpha(-s)S_0(s)S_0(-s)Q_o(s)}{sH(-s)}$$

*Proof:* See the book.



# A Simple Example

---

Consider a first-order system having constant variance for the model error in the frequency domain:

$$G_o(s) = \frac{1}{\tau_o s + 1}$$

$$Q_o(s) = \frac{\tau_o s + 1}{\tau_{cl} s + 1}$$

$$S_o(s) = \frac{\tau_{cl} s}{\tau_{cl} s + 1}$$

$$\tilde{\alpha}^2(\omega) = \epsilon > 0 \quad \forall \omega$$



## (a) Without integral-action constraint

---

In this case, with  $\alpha_1$  and  $\alpha_2$  appropriate functions of  $\tau_0$ ,  $\tau_{cl}$ , and  $\epsilon$ , we can write

$$\begin{aligned}
 H(s)H(-s) &= \frac{1}{1 - \tau_o^2 s^2} + \frac{\epsilon(-\tau_{cl}^2 s^2)}{1 - \tau_{cl}^2 s^2} \\
 &= \frac{1 - \tau_{cl}^2(1 + \epsilon)s^2 + \epsilon\tau_{cl}^2\tau_o^2 s^4}{(1 - \tau_o^2 s^2)(1 - \tau_{cl}^2 s^2)} \\
 &= \frac{(1 + \sqrt{a_1}s)(1 + \sqrt{a_2}s)(1 - \sqrt{a_1}s)(1 - \sqrt{a_2}s)}{(1 + \tau_o s)(1 + \tau_{cl}s)(1 - \tau_o s)(1 - \tau_{cl}s)}
 \end{aligned}$$



Then there exist  $A_1$ ,  $A_2$ ,  $A_3$ , and  $A_4$ , also appropriate functions of  $\tau_0$ ,  $\tau_{cl}$ , and  $\epsilon$ , so that

$$\begin{aligned} \frac{\alpha(s)\alpha(-s)S_o(s)S_o(-s)}{H(-s)}Q_o(s) &= \frac{(1 - \tau_0 s)(1 - \tau_{cl} s)}{(1 - \sqrt{a_1} s)(1 - \sqrt{a_2} s)} \frac{\epsilon(-\tau_{cl}^2 s^2)(1 + \tau_0 s)}{(1 - \tau_{cl} s)(1 + \tau_{cl} s)^2} \\ &= A_o + \frac{A_1}{1 - \sqrt{a_1} s} + \frac{A_2}{1 - \sqrt{a_2} s} + \frac{A_3}{(1 + \tau_{cl} s)^2} + \frac{A_4}{1 + \tau_{cl} s} \end{aligned}$$

the optimal  $\tilde{Q}$  is then

$$\tilde{Q}(s) = -\frac{(1 + \tau_0 s)(1 + \tau_{cl} s)}{(1 + \sqrt{a_1} s)(1 + \sqrt{a_2} s)} \left[ A_o + \frac{A_3}{(1 + \tau_{cl} s)^2} + \frac{A_4}{1 + \tau_{cl} s} \right]$$



---

To illustrate this example numerically, we take  $\tau_0 = 1$ ,  $\tau_{cl} = 0.5$ , and  $\epsilon = 0.4$ . Then we obtain the optimal  $\tilde{Q}$  as

$$\tilde{Q}(s) = -\frac{0.316s^3 + 1.072s^2 + 1.285s + 0.529}{0.158s^3 + 0.812s^2 + 1.491s + 1.00}$$



---

It is interesting to investigate how this optimal  $\tilde{Q}$  contributes to the reduction of the loss function.

$$\begin{aligned} J &= \|W_2(S - S_o)\|_2^2 = \int_{-\infty}^{\infty} \mathcal{E} \{ |W_2(j\omega) (S_2(j\omega) - S_o(j\omega))|^2 \} d\omega \\ &= \int_{-\infty}^{\infty} |G_o(j\omega)|^2 |\tilde{Q}(j\omega)|^2 + |S_o(j\omega)Q_o(j\omega) + S_o(j\omega)\tilde{Q}(j\omega)|^2 \tilde{\alpha}^2(\omega) d\omega \end{aligned}$$



---

If  $\tilde{Q}(s) = 0$ , then

$$J = \int_{-\infty}^{\infty} |S_0(j\omega)Q_0(j\omega)|^2 \varepsilon d\omega = \infty$$

and if the optimal  $\tilde{Q}$  is used, then the total error is  $J = 4.9$ , which has a *bias* error of

$$\int_{-\infty}^{\infty} |G_0(j\omega)\tilde{Q}|^2 d\omega = 4.3$$

and a *variance* error of

$$\int_{-\infty}^{\infty} |S_0(j\omega)Q_0(j\omega) + S_0(j\omega)\tilde{Q}(j\omega)|^2 \varepsilon d\omega = 0.6$$



## (b) With integral-action constraint

---

We write

$$\frac{\alpha(s)\alpha(-s)S_0(s)S_0(-s)}{H(-s)} Q_0(s) = \frac{(1-\tau_0s)(1-\tau_{cl}s)}{(1-\sqrt{a_1}s)(1-\sqrt{a_2}s)} \frac{\varepsilon(-\tau_{cl}^2s)(1+\tau_0s)}{(1-\tau_{cl}s)(1+\tau_{cl}s)^2}$$

$$= \frac{B_1}{1-\sqrt{a_1}s} + \frac{B_2}{1-\sqrt{a_2}s} + \frac{B_3}{(1+\tau_{cl}s)^2} + \frac{B_4}{1+\tau_{cl}s}$$

The optimal  $\tilde{Q}$  is given by

$$\tilde{Q}(s) = -\frac{s(1+\tau_0s)(1+\tau_{cl}s)}{(1+\sqrt{a_1}s)(1+\sqrt{a_2}s)} \left[ \frac{B_3}{(1+\tau_{cl}s)^2} + \frac{B_4}{1+\tau_{cl}s} \right]$$



---

For the same set of process parameters as above, we obtain the optimal  $\tilde{Q}$  as

$$\tilde{Q}(s) = -\frac{s(0.184s^2 + 0.411s + 0.227)}{0.158s^3 + 0.812s^2 + 1.491s + 1.00}$$

and for  $Q$  for controller implementation is simply

$$Q(s) = Q_o(s) + \tilde{Q}(s) = \frac{(0.265s + 1)(s + 1)}{0.316s^2 + 0.991s + 1}$$



## (c) Closed-loop system-simulation results

---

For the same process parameters as above, we now examine how the robust controller copes with plant uncertainty by simulating closed-loop responses with different processes, and we compare the results for the cases when  $Q_0$  is used. We choose the following three different plants.

$$\text{Case 1: } G_1(s) = \frac{1}{s+1} = G_o(s)$$

$$\text{Case 2: } G_2(s) = \frac{1.3e^{-0.3}}{0.5s+1}$$

$$\text{Case 3: } G_3(s) = \frac{0.5}{0.5s+1}$$




---

The frequency responses of the three plants are shown in Figure 16.1. They are within the statistical confidence bounds centered at  $G_0(j\omega)$  and have standard deviation of  $\sqrt{0.4}$ .



Figure 16.1: *Plane frequency response:*  
*Case 1 (solid); case 2 (dashed); case 3 (dotted)*

---





---

Figures 16.2, 16.3 and 16.4 (*see next 3 slides*), show the closed-loop responses of the three plants for a unit set-point change, controlled by using  $C$  and  $C_0$ .



Figure 16.2: *Closed-loop responses for case 1: when using  $Q_0$  (thin line), and when using optimal  $Q$  (thick line).*

---






Figure 16.3: *Closed-loop responses for case 2: when using  $Q_0$  (thin line), and when using optimal  $Q$  (thick line)*

---







Figure 16.4: *Closed-loop responses for case 3: when using  $Q_0$  (thin line), and when using optimal  $Q$  (thick line)*

---





# Discussion

---

**Case 1:**  $G_1(s) = G_0(s)$ , so the closed-loop response based on  $Q_0$  for this case is the desired response, as specified. The existence of  $\tilde{Q}$  causes degradation in the *nominal* closed-loop performance, but this degradation is reasonably small, as can be seen from the closeness of the closed-loop responses. This is the price one pays for including a robustness margin aimed at decreasing sensitivity to modeling errors.



---

**Case 2:** There is a large model error between  $G_2(s)$  and  $G_0(s)$ , shown in figure 16.1. It is seen from Figure 16.3 that, without the compensation of optimal  $\tilde{Q}$ , the closed-loop system and achieves acceptable closed-loop performance in the presence of this large model uncertainty.



---

**Case 3:** Although there is a large model error between  $G_3(s)$  and  $G_0(s)$  in the low-frequency region, this model error is less likely to cause instability of the closed-loop system. Figure 16.4 illustrates that the closed-loop response speed, when using the optimal  $\tilde{Q}$ , is indeed slower than the response speed from  $Q_0$ , but the difference is small.



# Unstable Plant

---

We next briefly show how the robust design method can be extended to the case of an unstable open-loop plant. As before, we denote the nominal model by  $G_0(s) = \frac{B_0(s)}{A_0(s)}$ , the nominal controller by  $C_0(s) = \frac{P(s)}{L(s)}$  the nominal sensitivity by  $S_0$ . We parameterize the modified controller by:

$$C(s) = \frac{\frac{P(s)}{E(s)} + \frac{A_o(s)}{E(s)}Q(s)}{\frac{L(s)}{E(s)} - \frac{B_o(s)}{E(s)}Q(s)}$$

where  $Q(s)$  is a stable proper transfer function.



---

It follows that

$$S_o(s) = \frac{A_o(s)L(s)}{A_o(s)L(s) + B_o(s)P(s)}$$

$$S_1(s) = S_o(s) \left( 1 - \frac{B_o(s)Q(s)}{L(s)} \right)$$

$$T_o(s) = \frac{B_o(s)P(s)}{A_o(s)L(s) + B_o(s)P(s)}$$

$$T_1(s) = T_o(s) + \frac{S_o(s)B_o(s)Q(s)}{L(s)}$$



---


$$\begin{aligned}
 S_2(s) &= \frac{S_1(s)}{1 + T_1(s)G_\Delta(s)} = \frac{S_1(s)}{1 + T_1(s)\frac{A_o(s)}{B_o(s)}G_\epsilon} \\
 &= \frac{S_o(s) - \frac{A_o(s)B_o(s)Q(s)}{A_o(s)L(s)+B_o(s)P(s)}}{1 + \left( \frac{A_o(s)P(s)}{A_o(s)L(s)+B_o(s)P(s)} + \frac{A_o(s)^2Q(s)}{A_o(s)L(s)+B_o(s)P(s)} \right) G_\epsilon(s)}
 \end{aligned}$$

Where  $G_\Delta(s)$  and  $G_\epsilon(s)$  denote, as usual, the MME and AME, respectively.



---

As before, we used a weighted measure of  $S_2(s) - S_0(s)$ , where the weight is now chosen as

$$W_2(s) = (1 + T_1(s)G_\Delta(s))$$

In this case

$$W_2(s)[S_2(s) - S_0(s)] = -\frac{A_0(s)B_0(s)Q(s)}{A_0(s)L(s) + B_0(s)P(s)} - \frac{L(s)[P(s) + A_0(s)Q(s)]}{[A_0(s)L(s) + B_0(s)P(s)]^2} A_0(s)^2 G_\epsilon(s)$$



---

We express the additive modeling error  $G_{\epsilon}(s)$  in the form:

$$\begin{aligned} G_{\epsilon}(s) &= \frac{N(s)}{D(s)} - \frac{N_o(s)}{D_o(s)} = \frac{B_o(s) + B_{\epsilon}(s)}{A_o(s) + A_{\epsilon}(s)} - \frac{B_o(s)}{A_o(s)} \\ &\approx \frac{A_o(s)B_{\epsilon}(s)}{A_o(s)^2} - \frac{B_o(s)A_{\epsilon}(s)}{A_o(s)^2} \end{aligned}$$



---

Thus

$$W_2(s) [S_2(s) - S_0(s)] = -\frac{A_0(s)B_0(s)Q(s)}{A_0(s)L(s) + B_0(s)P(s)} - \frac{L(s)[P(s) + A_0(s)Q(s)]}{[A_0(s)L(s) + B_0(s)P(s)]^2} (A_0(s)B_\epsilon(s) - B_0(s)A_\epsilon(s))$$

We can then proceed essentially as in the open-loop stable case.




---

We illustrate the above ideas below on a practical system. (*A laboratory scale heat exchanger*). Note that this system is open-loop stable.




# Practical Example: Laboratory Heat Exchanger





# Pictorial View of Heat Exchanger





# Approximate Model

---

Based on physical experiments, the model is of the form:

$$\bar{G}(s) \cong \frac{Ke^{-sT}}{(\tau s + 1)}$$

$$K \in [1.5, 2.2]$$

$$T \in [0.1, 0.2]$$

$$\tau \in [0.38, 0.42]$$



# System Identification


---

An experiment was carried out to estimate the model. The resultant input/output data is shown on the next slide.



# Plant Input-Output Data

---






# Error Bounds

---

The estimated normal frequency response together with error bounds are shown on the next slide.



# Estimated Frequency Response





# Nominal Model and Controller

---

Estimated Model  $\bar{G}_\theta(s) = \frac{-3.4s + 33.7}{s^2 + 9.2s + 21.3}$

Nominal Controller  
in Youla Form  $Q_0(s) = \frac{s^2 + 9.2s + 21.3}{(s + 10)^2} * \frac{100}{33.7}$



# Stage 2: Robust Control Design

---

Use Model Error Quantification accounting for noise and undermodelling to modify the controller.



Result is:

$$Q(s) \cong \frac{2.04(s^4 + 22.1s^3 + 177.8s^2 + 623.3s + 809.1)}{(s + 9.95)^2(s + 5.1)^2}$$





# Step Responses with Nominal and robust Controllers

*Operating Point #1*



*Operating Point #2*



*Nominal*

*Robust*



---

We see from the above results that the robust controller gives (*slightly*) less sensitivity of the design to operating point.



# Cheap Control Fundamental Limitations

---


We next use the idea of quadratic optimal design to revisit the issue of fundamental limitations.

Consider the standard single-input single-output feedback control loop shown, for example, in Figure 5.1 on the next slide.



# Figure 5.1:

---





# Cheap Control

---

We will be interested in minimizing the quadratic cost associated with the output response expressed by:

$$J = \frac{1}{2} \int_0^{\infty} y(t)^2 dt$$

Note that, no account is taken here of the size of the control effort. Hence, this class of problem, is usually called cheap control. It is obviously impractical to allow arbitrarily large control signals. However, by not restricting the control effort, we obtain a benchmark against which other, more realistic, scenarios can be judged. Thus these results give a fundamental limit to the achievable performance.



---

We will consider two types of disturbances, namely

- (i) (impulsive measurement noise ( $d_m(t) = \delta(t)$ ), and
- (ii) a step-output disturbance ( $d_0(t) = \mu(t)$ ).

We then have the following result that expresses the connection between the minimum achievable value for the cost function

$$J = \frac{1}{2} \int_0^{\infty} y(t)^2 dt$$

and the open-loop properties of the system.



---

Theorem 16.1: Consider the SISO feedback control loop and the cheap control cost function. Then

- (i) For impulsive measurement noise, the minimum value for the cost is

$$J^* = \sum_{i=1}^N p_i$$

where  $p_1, \dots, p_N$ , denote the open-loop plant poles in the right half plane, and



---

(ii) For a step-output disturbance, the minimum value for the cost is

$$J^* = \sum_{i=1}^M \frac{1}{c_i}$$

where  $c_1, \dots, c_M$  denote the open-loop plant zeros in the right-half plane.

*Proof:* See the book.



# Frequency-Domain Limitations Revisited

---

We saw earlier in Chapter 9 that the sensitivity and complementary sensitivity functions satisfied the following integral equations in the frequency domain

$$(i) \quad \frac{1}{\pi} \int_0^{\infty} \ln |S_0(j\omega)| + \frac{k_h}{2} = \sum_{i=1}^N p_i$$

where  $k_h$  denotes  $\lim_{s \rightarrow 0} sH_{ol}(s)$  and  $H_{ol}(s)$  is the open-loop transfer function.



---

(ii)

$$\frac{1}{\pi} \int_0^{\infty} \frac{1}{\omega^2} \ln |T_0(j\omega)| + \frac{1}{2k_v} = \sum_{i=1}^M \frac{1}{c_i}$$

where  $k_v = \lim_{s \rightarrow 0} sH_{ol}(s)$ .

There is clearly a remarkable consistency between the right-hand sides of the above equations and the results for cheap control. This is not a coincidence as shown in the following result:



---

**Theorem 16.2:** Consider the standard SISO control loop in which the open-loop transfer function  $H_{ol}(s)$  is strictly proper and  $H_{ol}(0)^{-1} = 0$  (i.e. there is integral action), then

- (i) for impulse measurement noise, the following inequality holds:

$$\frac{1}{2} \int_0^{\infty} y(t)^2 dt \geq \frac{k_h}{2} + \frac{1}{\pi} \int_0^{\infty} \ln |S_0(j\omega)| d\omega = \sum_{i=1}^N p_i$$

where  $p_1, \dots, p_N$  denote the plant right-half plane poles.



---

(ii) for impulse a unit-step output disturbance, then

$$\frac{1}{2} \int_0^{\infty} y(t)^2 \geq \frac{1}{2k_v} + \frac{1}{\pi} \int_0^{\infty} \ln |T_0(j\omega)| \frac{d\omega}{\omega^2} = \sum_{i=1}^M \frac{1}{c_i}$$

where  $c_i, \dots, c_M$  denote the plant right-half plane poles.

*Proof:* See the book.



# Summary

---

- ❖ Optimization can often be used to assist with certain aspects of control-system design.
- ❖ The answer provided by an optimization strategy is only as good as the question that has been asked - that is, how well the optimization criterion captures the relevant design specifications and trade-offs.
- ❖ Optimization needs to be employed carefully: keep in mind the complex web of trade-offs involved in all control-system design.



- 
- ❖ Quadratic optimization is a particularly simple strategy and leads to a closed-form solution.
  - ❖ Quadratic optimization can be used for optimal  $Q$  synthesis.
  - ❖ We have also shown that quadratic optimization can be used effectively to formulate and solve robust control problems when the model uncertainty is specified in the form of a frequency-domain probabilistic error.



- 
- ❖ Within this framework, the robust controller *biases* the nominal solution so as to create conservatism, in view of the expected model uncertainty, while attempting to minimize affecting the achieved performance.
  - ❖ This can be viewed as a formal way of achieving the bandwidth reduction that was discussed earlier as a mechanism for providing a robustness *gap* in control-system design.